

L Number	Hits	Search Text	DB	Time stamp
-	40	235/\$.ccls. and ticket with count	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 07:48
-	15	(235/\$.ccls. and ticket with count) and light and detector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 10:22
-	33	count\$4 with collect\$3 with tickets	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 11:20
-	8	("2583639" "2896537" "3279371" "3610149" "3815497" "3869981" "3869986" "3921516").PN.	USPAT	2002/12/30 10:28
-	2	4116127.URPN.	USPAT	2002/12/30 10:28
-	114	(ticket with count\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 10:34
-	0	235/\$.ccls. and (ticket with count\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 10:34
-	14	(ticket with count\$4).ti. and light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 10:35
-	4	count\$4 with verified with tickets	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 10:35
-	1	arcade adj tickets	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 11:21
-	129	235/\$.ccls. and ticket with count\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 07:58
-	65	(235/\$.ccls. and ticket with count\$4) and total	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:05
-	1067	ticket with count\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:05

-	61	(ticket near3 count\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:07
-	2	5211093.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:07
-	4	5211093.URPN.	USPAT	2002/12/31 08:44
-	0	count\$4 with valid with tickets	USPAT	2002/12/31 08:30
-	0	count\$4 with invalid with tickets	USPAT	2002/12/31 08:31
-	3	count\$4 with verified with tickets	USPAT	2002/12/31 08:33
-	0	count\$4 with authenticated with tickets	USPAT	2002/12/31 08:32
-	6	count\$4 with winning with tickets	USPAT	2002/12/31 08:33
-	2	count\$ with validated with tickets	USPAT	2002/12/31 08:44
-	2	count\$4 with validated with tickets	USPAT	2002/12/31 08:46
-	0	count\$4 and (total with verified with tickets)	USPAT	2002/12/31 08:47
-	0	count\$4 and (total with valid with tickets)	USPAT	2002/12/31 08:47
-	0	(total with valid with tickets)	USPAT	2002/12/31 08:47
-	0	(total with invalid with tickets)	USPAT	2002/12/31 08:47
-	0	(total with verified with tickets)	USPAT	2002/12/31 08:48
-	5	(number with verified with tickets)	USPAT	2002/12/31 08:50
-	0	count\$4 same (verified adj tickets)	USPAT	2002/12/31 08:50
-	0	verified adj tickets	USPAT	2002/12/31 08:51
-	17	tickets adj5 verified	USPAT	2002/12/31 08:54
-	164	total with tickets	USPAT	2002/12/31 08:56
-	22	count\$4 with total with tickets	USPAT	2002/12/31 09:10
-	1	5684286.pn.	USPAT	2002/12/31 09:24
-	149	(translucent or clear) with ticket	USPAT	2002/12/31 09:24
-	13	(translucent) with ticket	USPAT	2002/12/31 10:04
-	147	verifying with (barcode or (bar adj code))	USPAT	2002/12/31 12:12
-	4	verifying with (barcode or (bar adj code)) with database	USPAT	2002/12/31 10:06
-	0	verifying with (barcode or (bar adj code)) with ticket	USPAT	2002/12/31 10:08
-	3	verifying with (barcode or (bar adj code)) with document	USPAT	2002/12/31 11:00
-	1	3763356.pn.	USPAT	2002/12/31 11:47
-	1	4027142.pn.	USPAT	2002/12/31 12:08
-	1	5684286.pn.	USPAT	2002/12/31 12:08
-	55	verifying with (barcode or (bar adj code)) and database	USPAT	2002/12/31 12:13
-	9	verifying with (barcode or (bar adj code)) with stored	USPAT	2002/12/31 12:19
-	43	analyz\$4 with (barcode or (bar adj code)) with stored	USPAT	2002/12/31 12:20
-	18	analyz\$4 with (barcode or (bar adj code)) with stored and document	USPAT	2002/12/31 12:26
-	344	ticket with (barcode or (bar adj code))	USPAT	2002/12/31 12:27
-	0	ticket with (barcode or (bar adj code)) and (barcode or (bar adj code)) with similarity	USPAT	2002/12/31 12:27
-	10	ticket with (barcode or (bar adj code)) and (barcode or (bar adj code)) with match	USPAT	2002/12/31 12:28
-	71	ticket with (barcode or (bar adj code)) and (barcode or (bar adj code)) with stored	USPAT	2002/12/31 12:28
-	30	ticket with (barcode or (bar adj code)) and (barcode or (bar adj code)) with stored with memory	USPAT	2002/12/31 12:31
-	0	(barcode or bar adj code) and (signal with analyze) with processor with memory	USPAT	2002/12/31 13:14
-	16	(barcode or bar adj code) and (signal with analyz\$4) with processor with memory	USPAT	2002/12/31 13:18
-	121	(barcode or bar adj code) and analyzer with controller	USPAT	2002/12/31 13:19
-	2	(barcode or bar adj code) and analyzer with controller with count\$4	USPAT	2002/12/31 13:23
-	0	(barcode or bar adj code) and analyzer with controller with similarity	USPAT	2002/12/31 13:23
-	23	(barcode or bar adj code) and (signal adj analyzer)	USPAT	2002/12/31 13:28
-	10	(ticket with (barcode or (bar adj code))) and analyzer	USPAT	2002/12/31 13:35

-	26	("D261007" "3163758" "3453419" "3529133" "3898434" "3949363" "4074114" "4096992" "4408120" "4408121" "4608489" "4625275" "4629876" "4794239" "4864111" "4864112" "4900907" "4914623" "4945214" "4963726" "4973829" "5122645" "5157243" "5198649" "5268563" "5521371").PN.	USPAT	2002/12/31 13:37
-	3	235/\$.ccls. and (signal adj process\$4) with count\$4 with memory	USPAT	2002/12/31 13:54
-	0	235/\$.ccls. and (signal adj analyzer) with detector	USPAT	2002/12/31 13:55
-	4	235/\$.ccls. and (signal adj analyzer) with detector	USPAT	2002/12/31 14:01
-	2	235/\$.ccls. and (signal adj analyzer) with controller	USPAT	2002/12/31 14:03
-	0	235/\$.ccls. and (signal adj analyzer) with processor	USPAT	2002/12/31 14:04
-	21	235/\$.ccls. and analyzer with processor	USPAT	2002/12/31 14:04
-	3	(barcode or (bar adj code)) and (signal adj analyzer) with controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:05
-	1	(barcode or (bar adj code)) and (signal adj analyzer) with similarity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:16
-	1	(barcode or (bar adj code)) and (signal adj analyzer) with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:30
-	27	(barcode or (bar adj code)) and analyz\$4 with similarity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:36
-	111	235/\$.ccls. and (barcode or (bar adj code)) and analyz\$4 with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:36
-	2	235/\$.ccls. and (barcode or (bar adj code)) and analyz\$4 with memory with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:39
-	490	235/\$.ccls. and (barcode or (bar adj code)) and analyz\$4 with determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:39
-	398	235/\$.ccls. and (barcode or (bar adj code)) and analyz\$4 with determine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:41
-	4	235/\$.ccls. and (barcode or (bar adj code)) and (signal adj analyzer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 08:40
-	71	235/\$.ccls. and (barcode or (bar adj code)) and analyze with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 09:04

-	4	235/\$.ccls. and (barcode or (bar adj code)) and analyze with signal with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 09:07
-	51	235/\$.ccls. and (barcode or (bar adj code)) and computer with analyz\$4 with stor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 09:38
-	12	("4013893" "4874936" "4896029" "4916298" "4973829" "4998010" "5189292" "5241166" "5276315" "5324923" "5373147" "5487115").PN.	USPAT	2003/01/02 09:12
-	1	235/\$.ccls. and (barcode or (bar adj code)) and computer with analyz\$4 with stor\$4 with (match\$4 or compar\$4 or similarit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 09:42
-	51	235/\$.ccls. and (barcode or (bar adj code)) and computer with analyz\$4 with stor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 09:52
-	45	235/\$.ccls. and (barcode or (bar adj code)) and computer with analyz\$4 with stor\$4	USPAT	2003/01/02 09:54
-	75	235/\$.ccls. and (barcode or (bar adj code)) and computer with compar\$\$ with code	USPAT	2003/01/02 09:54
-	82	235/\$.ccls. and (barcode or (bar adj code)) and computer with compar\$4 with code	USPAT	2003/01/02 09:55
-	3	235/\$.ccls. and (barcode or (bar adj code)) and computer with stor\$4 with verif\$4 same valid	USPAT	2003/01/02 10:28
-	20	("4880237" "4882473" "5096195" "5135224" "5179517" "5265874" "5290033" "5321241" "5371345" "5397125" "5429361" "5451756" "5457306" "5458333" "5491326" "5557086" "5577959" "5595538" "5627356" "6012832").PN.	USPAT	2003/01/02 10:09
-	33	235/\$.ccls. and (barcode or (bar adj code)) and computer with stor\$4 with pattern	USPAT	2003/01/02 10:30
-	2	5211093.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:09
-	2	3763356.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:54
-	429	235/\$.ccls. and (barcode or (bar adj code)) and (compar\$4 or match\$4) with pattern	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:58
-	93	235/\$.ccls. and (barcode or (bar adj code)) and (compar\$4 or match\$4) with pattern with (memory or stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:59
-	22	235/\$.ccls. and (barcode or (bar adj code)) and (compar\$4 or match\$4) with pattern with (memory or stor\$4) with (computer or microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:10

-	164	235/\$.ccls. and (barcode or (bar adj code)) and image with (memory or stor\$4) with (computer or microprocessor)	USPAT	2003/01/02 14:11
-	21	235/\$.ccls. and (barcode or (bar adj code)) with image with (memory or stor\$4) with (computer or microprocessor)	USPAT	2003/01/02 14:12
-	2	("4658147" "5468950").PN.	USPAT	2003/01/02 15:04
-	0	6345765.URPN.	USPAT	2003/01/02 15:05
-	79	ticket with count\$4 with display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:12
-	8	ticket with count\$4 with display and redeem\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:14
-	2	redemption and ticket with count\$ with display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:15
-	4	arcade and ticket with count\$ with display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:15
-	9	arcade and ticket with count\$4 with display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:17
-	7	ticket with (barcode or (bar adj code)) and (count\$4 with display) and (receipt with printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:40
-	62	ticket with (barcode or (bar adj code)) and (receipt with printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:40
-	5	ticket with (barcode or (bar adj code)) with (receipt with printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 16:41
-	1	ticket with (barcode or (bar adj code)) with (receipt with printer)	USPAT	2003/01/02 16:43
-	3	(arcade with ticket) and (receipt with printer)	USPAT	2003/01/02 16:46
-	247	ticket and (receipt with printer)	USPAT	2003/01/02 16:46
-	22	(ticket with count\$4) and (receipt with printer)	USPAT	2003/01/02 16:55
-	14	ticket with (barcode or (bar adj code)) and (receipt adj printer)	USPAT	2003/01/02 17:19
-	243	(print\$4 with (barcode or (bar adj code))) with ticket	USPAT	2003/01/02 17:22
-	9	((print\$4 with (barcode or (bar adj code))) with ticket) and translucent	USPAT	2003/01/02 17:21
-	34	(print\$4 with (barcode or (bar adj code))) with ticket and (feed\$4 with tickets)	USPAT	2003/01/02 17:33
-	0	(print\$4 with (barcode or (bar adj code))) with ticket and (feed\$4 with tickets) and (opaque adj pattern)	USPAT	2003/01/02 17:25
-	0	(print\$4 with (barcode or (bar adj code))) with ticket and (opaque adj pattern)	USPAT	2003/01/02 17:26
-	18	(print\$4 with (barcode or (bar adj code))) with ticket and (feed\$4 with tickets) and opaque	USPAT	2003/01/02 17:38
-	2	(opaque with pattern) with tickets with print\$4	USPAT	2003/01/02 17:40
-	48	print\$4 with (barcode or (bar adj code)) with tickets and opaque	USPAT	2003/01/02 17:41

-	320	(print\$4 with tickets).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 08:01
-	12	((print\$4 with tickets).ti.) and (barcode or (bar adj code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 07:51
-	1	((print\$4 with tickets).ti.) and (barcode or (bar adj code))	USPAT	2003/01/03 07:51
-	1	((print\$4 with tickets).ti.) and opaque with pattern	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 07:53
-	0	((print\$4 with tickets).ti.) and bars	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 07:58
-	38	((print\$4 with tickets).ti.) and feed\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 07:59
-	6	((print\$4 with tickets).ti.) and feed\$4	USPAT	2003/01/03 07:59
-	3	((print\$4 with tickets).ti.) and code	USPAT	2003/01/03 08:04
-	28	cover with opaque with non-opaque	USPAT	2003/01/03 08:07
-	28	cover with 'opaque' with 'non-opaque'	USPAT	2003/01/03 08:12
-	1	non-opaque adj ink	USPAT	2003/01/03 08:19
-	0	dark adj fluorescent	USPAT	2003/01/03 08:19
-	26	dark adj fluorescent	USPAT	2003/01/03 08:21
-	1703	(barcode or (bar adj code)) and opaque	USPAT	2003/01/03 08:22
-	609	(barcode or (bar adj code)) and opaque and ink	USPAT	2003/01/03 08:22
-	119	(barcode or (bar adj code)) and opaque with ink	USPAT	2003/01/03 08:22
-	13	(barcode or (bar adj code)) with opaque with ink	USPAT	2003/01/03 08:32
-	0	(barcode or (bar adj code)) with dark with non-opaque	USPAT	2003/01/03 08:32
-	14	(barcode or (bar adj code)) with dark with ink	USPAT	2003/01/03 08:39
-	1130	dark with fluorescent	USPAT	2003/01/03 08:39
-	26	dark adj fluorescent	USPAT	2003/01/03 08:39
-	80	black adj fluorescent	USPAT	2003/01/03 08:40
-	17	non adj opaque with ink	USPAT	2003/01/03 09:13
-	51	dark with transparent with ink	USPAT	2003/01/03 08:43
-	5	dark with transparent with ink and (barcode or (bar adj code))	USPAT	2003/01/03 08:44
-	1019	235/\$.ccls. and opaque	USPAT	2003/01/03 09:13
-	15	235/\$.ccls. and opaque adj ink	USPAT	2003/01/03 09:27
-	59	235/\$.ccls. and opaque with ink	USPAT	2003/01/03 09:25
-	44	(235/\$.ccls. and opaque with ink) not (235/\$.ccls. and opaque adj ink)	USPAT	2003/01/03 09:25
-	15	235/\$.ccls. and (transparent or translucent) adj ink	USPAT	2003/01/03 09:30
-	0	235/\$.ccls. and dark with (transparent or translucent) adj ink	USPAT	2003/01/03 09:28
-	700	non adj opaque	USPAT	2003/01/03 09:31
-	1	non adj opaque adj ink	USPAT	2003/01/03 09:41
-	17	non adj opaque with ink	USPAT	2003/01/03 09:32
-	27	ticket with print\$ with both with sides	USPAT	2003/01/03 09:43
-	27	ticket with print\$4 with both with sides	USPAT	2003/01/03 09:55
-	0	ticket same (barcode or (bar adj code)) with print\$4 with both with side	USPAT	2003/01/03 09:48
-	4	ticket same code with print\$4 with both with side	USPAT	2003/01/03 09:51
-	16	235/\$.ccls. and (barcode or (bar adj code)) with print\$4 with both with sides	USPAT	2003/01/03 09:51
-	101	ticket with (barcode or (bar adj code)) and (print\$4 with sides)	USPAT	2003/01/03 09:57
-	15	ticket with (barcode or (bar adj code)) and (print\$4 with both with sides)	USPAT	2003/01/03 10:00

-	16	ticket with (barcode or (bar adj code)) and (print\$4 with reverse with side)	USPAT	2003/01/03 10:02
-	2	ticket with print\$4 with pattern with both with sides	USPAT	2003/01/03 10:10
-	4	ticket with print\$4 and feed\$4 and (print\$4 with opaque with pattern)	USPAT	2003/01/03 10:21
-	181	235/\$.ccls. and (bars with spaces) and opaque	USPAT	2003/01/03 10:20
-	11	235/\$.ccls. and (bars with spaces) and opaque with pattern	USPAT	2003/01/03 10:16
-	10	(235/\$.ccls. and (bars with spaces) and opaque) and ticket	USPAT	2003/01/03 10:16
-	67	print\$4 with opaque with bars	USPAT	2003/01/03 10:23
-	79	235/\$.ccls. and bars with opaque	USPAT	2003/01/03 10:35
-	50	235/462.01,462.02.ccls. and opaque	USPAT	2003/01/03 10:38
-	296	translucent with opaque with pattern	USPAT	2003/01/03 10:39
-	3	translucent adj sheet with opaque with pattern	USPAT	2003/01/03 10:40
-	29	translucent with opaque adj pattern	USPAT	2003/01/03 11:04
-	36	ticket adj print\$4 with (barcode or (bar adj code))	USPAT	2003/01/03 11:05
-	11	(ticket adj print\$4 with (barcode or (bar adj code))) and feed\$4	USPAT	2003/01/03 11:17
-	28	"4704518"	USPAT	2003/01/03 11:18
-	1	4704518.pn.	USPAT	2003/01/03 11:18
-	38	printer.ti. and (barcode or (bar adj code)) and ticket and feed\$4	USPAT	2003/01/03 11:37
-	5	printer.ti. and (barcode or (bar adj code)) and (ticket with feed\$4)	USPAT	2003/01/03 11:34
-	3	(ticket with printer).ti. and (barcode or (bar adj code))	USPAT	2003/01/03 11:39
-	5	printer.ti. and (feed\$4 with tickets) and (barcode or (bar adj code))	USPAT	2003/01/03 11:42
-	230	print\$4 with (barcode or (bar adj code)) with tickets	USPAT	2003/01/03 11:45
-	90	(print\$4 with (barcode or (bar adj code)) with tickets) and feed\$4	USPAT	2003/01/03 11:51
-	1	3763356.pn.	USPAT	2003/01/03 11:55
-	1	4704518.pn.	USPAT	2003/01/03 12:00
-	1	3763356.pn.	USPAT	2003/01/03 15:04
-	1	4177377.pn.	USPAT	2003/01/03 15:04